

A CUBETIC GROUP OF COMPANIES

Logos Regulation - Management Systems

1

ACT LOGOS

2

ACCREDITATION LOGOS

3

AJA EXCELLENCES

PREMISE

In congratulating you on obtaining your Management System Certification, we would like to remind you that achieving certification allows you to use the logos (including the logo of the Accreditation Body) and the certificate, as described in the rules below.

The observance of the following rules and the correctness of the references to certification are subject to control during visits and renewal visits to your organisation by the audit team. Improper and/or incorrect use of the certificate and logos may lead to suspension of the certificate.

In case of doubt, please contact our offices:

The Certification Manager is available for further information and clarification.





ACT LOGOS

**ALL CUSTOMERS
RECEIVE THE
SPECIFIC LOGO OF
THE STANDARD
UNDER WHICH THE
ORGANIZATION IS
CERTIFIED.**

(ISO 9001:2015, ISO 50001:2018, X-SAFE, ECC.)

USE OF THE LOGO IS VOLUNTARY

*In case of suspension or withdrawal of the certificate
it is prohibited to use the certificate and logo ACT
and any reference to the certification.*



The colours must correspond to those in the files provided. It is possible to reproduce the logos in a monochrome version whenever the material is printed in only one colour.

- Advertising material, company website, exhibition stands;
- Company brochures, presentations;
- Company signage;
- Letterheads, business cards;
- Company vehicles

EXAMPLES OF LOGO APPLICATION ACT

ACME

INDUSTRIES

El id quunte magnam quidiscient.

Menis as quiatur, eumentis sumquisque volor simoluptas si cum, sum destis verfern atenti quo volora con ratiurio. Nam facilitio quiscilla suntur?

Elenimusae pel maiorio. Equibus et mil eost volore, ventis inum iderum il idelitate nis rem quasima gnatur restiuntium alit fugiatae plab id molendi tibusti autatem et dundebist, quist, qui cus, consequias ea si sint et lacid et la sin poruptatis dis et reperoviditi voluptatur? Qui ditat ad es eate vent officiet endis et as et qui dollaut excerov itatus doluptiis ent.

Erum nonserehenis secum eum quiae sunture nonse od explatemquas audandiam, od excescid quosa qui nulparum aspaciae pelenis ea dolorum quiaspidi cores audis et alit volenda eribustis remporepudi dolorib usandel luptibus a delit omnihit, seque periat.

Ipsium eumquam ipsum volorro qui doluptas unt venimporest, quiae volestrum quas rem est utet aut volende rnatur atus volupta tionecae excepra voluptur? Quia pro mos excerae cestrum quis eossi blaboreperum sequi doles res nobis am, te nestem fugiti a serum estotae nobit faces aut etureptatur? Gitatus et re culparunto teseque rem corrovit remquis tiissime et faccae ea dunt dolorporit et volo quis que simod mod ullacep tatque doloratur aut dolupta dolor aliqui nessi cora pro iducien ditibust, vellandamus moloressum nim eum fuga. Dus, ullacia quodi cum il mosam nam nonse velitat ibusda cone modis eat qatur a dolor re endit laut labo. Um ut esciusda int harum rectotaquos eaturia quas et aut aut ex eaque nissitae modionsed quam recaesc illaccus eosa volo corrum re rem eossequunte sam laci officiatis doluptae pe volut derum, omniatio mod ex eum verferro con rerfereptur, quatati onsendit amus, que preniende ped que comnis et ex expligent.

Vendit, quiae inciur modi quis et occus moleseq uaeped quatur autatur? Hentis vero escimil luptae. Rit, aperciisin consecest aut aut incid enis quiaspelibus et vernat.

Hent, tem reium cus dioreped quis eum aceatist accum incime vidunt fuga. Et etus net asperrum num latur aut et aliquiatias a vendusc iument et dolupta vendelectet vendeles etur solorum volorro viducii ssunti omnistio. Ut laborat usandi odi tet fugiatistis nimpere hendis exces ulluptat eatquam aspe omnihic ilibust andi ommos sequodi beritib ustotas inciur mintios maioratia ipsum venducid magnatur? Aquianis repello rerum ut quatume volor ariassit hil estia conem. Optior modignis venieni iunt, sit moluptam, occum faci unt modit eium evelent elissus dolorpo resciae quis quis aperepre, simos aut aut veror magnissin natibus eliquis tempor am volupta tustis dolenienis quasi quistrum acernam quos et aspersp ienimus mi, cus, omnim volorem posandiate renimil iur, sum acest harumque od ut antotae cusci que nimosam volupti ditatem repe dolupiet perum harchil igendi ut modit pa sintis vel es alit, nest mintotaturit deroressed molorum quoditatem es il ium, cullabo riorum ent eos ex eos sus eum quibust rundisi andene exped quibus sin cus, veris dignihicia si iuntem. Edi rere es sita vit earchillis experchiliae velique rempost, sam volo diaturit quae et enam doluptur si conserc iendici enditae pres arum verspedipsae cum ulliquo magnihi llaborem volorumqui blacianimus rerumet aut pratius simincium doluptat as

ACME INDUSTRIES SPA

Indirizzo, Città, Cap
P.I. 0000000000
T: 0000000000
E: nome@acme.com
W: www.acme.com



Cert. no. xx/xxxx

te expeda quibus sin cus, veris
rchiliae velique rempost, sam volo
ditae pres arum verspedipsae cum
umet aut pratius simincium doluptat as



Cert. no. xx/xxxx

**IN ORDER TO USE
THE LOGO, IT IS
NECESSARY TO
PAY ATTENTION TO
THE FOLLOWING
REQUIREMENTS**

- It must be clear that the certification relates exclusively to the certified management system and that it is not a product certification
- The standard applicable to the Certified Management System must be reported
- The search for certified companies is available on the website ACT
www.acubetic.com - Management System

THE LOGO
CANNOT BE
REPRODUCED

- Altering the proportions or separating the components
- On products or their packaging, both internally and externally, including labels and booklets with explanations of use
- On laboratory or inspection reports
- On material relating to products/services/production sites that are not covered by the certification purpose
- On any attestations or certificates of qualification and/or competence issued by the client organisation

IN ANY OTHER FORM that could be interpreted as a product certification.



EXAMPLE USE OF **ACT** LOGOS

RECOMMENDED

COMPANY NAME



COMPANY NAME



COMPANY NAME



FORBIDDEN

COMPANY NAME Analysis
Report Laboratory XX



EXAMPLE USE
OF **ACT** LOGOS

ISO 9001:2015
QUALITY MANAGEMENT SYSTEM CERTIFICATION



	PANTONE 367 C	C: 42 % Y: 67 % M: 0 % K: 0 %
	PANTONE COOL GRAY 7C	C: 20 % Y: 11 % M: 15 % K: 40 %

FOR THE OTHER STANDARDS
ONLY THE INDICATION OF THE STANDARD CHANGES

Environmental Management

ISO 14001 : 2015

Medical Device Quality

ISO 13485 : 2016

Food Safety

ISO 22000 : 2018

Information Security

ISO 27001:2013

Workers' Health and Safety

ISO 45001 : 2018

2

ACCREDITATION
LOGOS

UKAS

NATIONAL ACCREDITATION

LOGO AND SYMBOL: CONDITION FOR USE

30.09.21

UAF

GENERAL RULES AND CONDITIONS FOR USE OF MARK

FEB.08.21

ACCREDIA

RG-09 REGOLAMENTO PER L'UTILIZZO DEL MARCHIO ACCREDIA

05.10.22

USE OF ACCREDITATION LOGOS BY ACCREDITED BODIES ON CERTIFICATES ISSUED



0273



CB - MS - 5815



0160 MS

USE OF ACCREDITATION LOGOS BY CERTIFIED ORGANISATIONS

FOR CERTIFICATIONS ISSUED UNDER
ACCREDITATION, IT IS PERMITTED THE USE
OF THE LOGO OF THE ACCREDITATION BODY
BUT ONLY IN CONJUNCTION WITH THE A
CUBE TIC LOGO



**IN ORDER TO USE
THE LOGO, IT IS
NECESSARY TO
PAY ATTENTION
TO THE
FOLLOWING
REQUIREMENT**

- The logo of the Accreditation Body must always appear alongside the ACT logo
- The Accreditation logo must show the accreditation number of ACT if present in the submitted file (e.g. UKAS 0273)
- Between the ACT logo and the Accreditation Body logo no other elements can be inserted
- The ACT and accreditation logos must be reproduced using the same height, if enlarged or reduced they must retain the same proportions and remain readable
- **IT IS FORBIDDEN** to use the Accreditation Body Logo, even together with that of ACT, on any technical documentation that may be associated with the product, when the organisation has a certified Management System (e.g.: declarations of conformity for the purposes of CE marking test certificates, etc.).

THE LOGO
CANNOT BE
REPRODUCED

- In any form that may be interpreted as a direct approval of the client organisation by the accreditation body
- In any form that may be interpreted as an approval of the national authority supervising the accreditation body.

2

**SPECIFIC
REQUIREMENTS
FOR UKAS LOGO**

- The reference height of the logo for an A4 sheet is 30 mm *dimensions may vary proportionally depending on the size of the printing surfaces*
- The logo may not be less than 20 mm high (excluding the accreditation number which will be adjusted proportionally) *exceptions to this measure are possible in exceptional cases, but the logo must be legible throughout*
- *UKAS marks may only be used by A Cube Tic clients in connection with the issue of UKAS accredited certification and in conjunction with the A Cube Tic's mark*, as shown in the example. Holders of certificates issued by A Cube Tic may use the appropriate national accreditation mark on stationery and publicity material. For the purposes of these conditions the term 'publicity material' shall not include notices, labels, documents, or written announcements affixed to or otherwise appearing on goods or products unless the goods or products. This restriction shall also apply to primary (Example blister packs) packaging and promotional products. The terms 'publicity material' and 'advertisements' shall not include notices, labels, documents or written announcements affixed to.
- The UKAS logo shall **NOT** be reproduced on vehicles and flags
- The UKAS logo shall **NOT BE APPLIED** to laboratory test, calibration, or inspection reports

2

UKAS LOGO
USE EXAMPLE

RECOMMENDED



Cert. no. xx/xxxx



Cert. no. xx/xxxx

FORBIDDEN



COMPANY NAME



2

**SPECIFIC
REQUIREMENTS
FOR UAF LOGO**

- *UAF marks may only be used by A Cube Tic clients in connection with the issue of UAF accredited certification and in conjunction with the A Cube Tic's mark.* Holders of certificates issued by A Cube Tic may use the appropriate national accreditation mark on stationery and publicity material. For the purposes of these conditions the term 'publicity material' shall not include notices, labels, documents, or written announcements affixed to or otherwise appearing on goods or products unless the goods or products. This restriction shall also apply to primary (Example blister packs) packaging and promotional products. The terms 'publicity material' and 'advertisements' shall not include notices, labels, documents or written announcements affixed to or otherwise appearing on the vehicles or flags.
- The UAF logo shall **NOT BE APPLIED** to laboratory test, calibration, or inspection reports
- **SIZE:** When the A Cube Tic /UAF mark is printed on an unfolded portion of stationery sized no greater than A4, UAF symbol shall normally have a minimum height of 10 mm and minimum width of 15mm. Any enlargement if necessary, provided that the original proportion between the height and width of the symbol will not be affected and the symbol remains legible. (magnifying glasses). The Symbol shall not be displayed in a more prominent way than the logo of the A Cube TIC Limited.
- **INFORMATION FOR FULL COLOUR REPRODUCTION OF ACCREDITATION LOGO AND SYMBOLS:** The Symbol shall be displayed only in the appropriate form and colour as demonstrated on page 19 of this file. The Symbol may be used in the defined colours or black and white colours provided that the conditions set out in this document are fulfilled.

2

UAF LOGO
USE EXAMPLE

RECOMMENDED



Cert. no. xx/xxxx



Cert. no. xx/xxxx

FORBIDDEN



ISO 27001:2013
Cert. no. xx/xxxx

COMPANY NAME



CB - MS - 5815

2

**SPECIFIC
REQUIREMENTS
FOR ACCREDIA**

- The minimum dimensions of the ACCREDIA logo must be as follows, Height: 12.6 mm, Width: 10.0 mm; the dimensions may vary proportionally depending on the size of the printing surfaces
- The certified company must **NEVER** use the ACCREDIA Logo separately from the ACT Logo
- The certified company must **NEVER** use the ACCREDIA Logo in a way that implies ACCREDIA has certified or approved the company's management system, or in any other **misleading manner**
- The certified company may use a statement without applying the logo, such as "Organization with certified management system (e.g., quality, environment)," the name of the accredited body, and the applicable standard

- The use of the ACCREDIA Logo, in conjunction with the ACT Logo, **is allowed** on letterhead and general documents (excluding any technical documentation related to the manufactured products) or on assets and instrumental means used for the implementation of processes within the scope of the certified management system (such as commercial vehicles, buildings, lab coats, work overalls, and similar items), except for objects that are subject to specific certification, especially if mandatory or regulated (machinery, equipment, personal protective devices, etc.).
- For use on assets and instrumental means, the combination of the two Logos must be accompanied by the addition of a statement such as "Organization with certified management system (e.g., quality, environment)," the name of the CAB (Certification Accreditation Body) and the applicable standard.

RECOMMENDED



Minimum size for printing
Width: 10 mm
Height: 12.6 mm



PANTONE
548

C: 90 % Y: 0 %
M: 5 % K: 80 %
HEX: #004250



PANTONE
429

C: 20 % Y: 10 %
M: 10 % K: 20 %
HEX: #A5ACAF



ACCREDIA LOGO
EXAMPLE USE

RECOMMENDED



Cert. no. xx/xxxx



Cert. no. xx/xxxx

FORBIDDEN



COMPANY NAME Spa



ISO 9001 : 2015

Cert. no. xx/xxxx

3

AJA

EXCELLENCES

SERIES

CERTIFICATIONS

AJA EXCELLENCES



PANTONE
1375 C

C: 0 % Y: 89 %
M: 47 % K: 0 %

AJA Excellences standards, developed by experts and designed specifically for the Italian economic-legislative context, are owned by AJA Europe srl, partner/branch of the ACT group.

Please therefore refer to the first chapter of these regulations for the use of ACT logo. The logos of the individual schemes (X-Safe, X-Aequo, etc.) may not be reproduced separately from the ACT logo.

AJA EXCELLENCES

AJA EXCELLENCES

EXAMPLE



SIMILARLY, FOR THE OTHER STANDARD EXCELLENCES

X-AEQUO

X-SAFE

X-GATE

X-TRICATE

X-ULT

X-RAY

X-POLL

X-231

RECOMMENDED



Cert. no. EXC/xx/xxxxx

COMPANY NAME Spa

FORBIDDEN



COMPANY NAME Spa X-SECURITY



Unit 5 Middle Bridge
Business Park Bristol
Road Portishead Bristol
BS20 6PN UK



+44 (0) 1275 397 423



uk@acubetic.com



www.acubetic.com